


**PRESSURE WASHER
CATALOG**



VOLUME DISCOUNTS AVAILABLE

1.800.333.9274
www.watercannon.com

WATER CANNON

**SHIPPING COSTS
NOT INCLUDED**



quote@watercannon.com
sales@watercannon.com
espanol@watercannon.com

35
CELEBRATING YEARS OF SERVICE



Commercial Cold Water Electric

Pumps (EK & General Pumps)

- Commercial Duty Triplex Plunger Pumps
- Oil Bath Crankcase
- Stainless Valves
- Brass Manifold
- Direct Drive
- Thermo Pump Protector

Electric Motors (2, 5 & 7.5 HP)

- 1750 RPM
- TEFC
- Full Frame
- 1.15 Service Factor
- Thermo Overload Protection
- Continuous Duty

Electrical Control Panel

- Nema 4
- Water Tight
- Easy Access
- Heavy Duty On/Off Cam Switch or
- Optional Auto Stop/Start with Time Delay

Frame

- Removable Handle
- One Piece Bent Steel Base
- Portable Cart Frame
- 13" Pneumatic Tires
- All Powder Coated
- Wall Mount and Hand Carry Units Available

Includes

- Adjustable Pressure Regulator
- 36" Gun and Wand Assembly with Quick Coupler System (27" on 2 HP Units)
- 0°/15°/25°/40° Nozzles · 1 Soap Nozzle
- Downstream Soap Injection System
- 50 Feet of High Pressure Hose

Options & Accessories

- Auto Stop/Start
- Hose Reel
- Rotary Nozzle
- Drain Cleaning/Jetter Kit
- Call for Options

Contact our experts to identify and discuss the best commercial cold water electric pressure washer solutions that will address your unique needs. These durable units feature time and labor saving features and can be equipped with options such as: automatic start and stop with time delay, onboard hose reel and more. The low RPM pumps and motors ensure your equipment offers you peak performance, extended life cycle and reduced maintenance costs with minimal internal wear and tear.



Removable Handle

11M91

MODEL #	GPM	PSI	DRIVE RPM	HP/VOLTAGE	PRICE
11M86	2.2	1500	1750	2/110/1ph	
11M87		1000		15 Amps	
11M90	3.6	2400	1750	5/220/1ph	\$1,489
11M91	3.5	2400	1750	5/220/1ph	\$1,675
11M93	4	3000	1750	7.5/220/1ph	\$2,049
11M95	3.6	3600	1750	7.5/220/1ph	\$2,049
11M96	3.5	3000	1750	7.5/220/1ph	\$2,275

Industrial Cold Water Electric



Pumps (General Pumps)

- Industrial Heavy Duty Triplex Plunger Pump
- Oil Bath Crankcase • Stainless Valves
- Brass Manifold • Thermo Pump Protector

Electric Motors

- Heavy duty • 1750 RPM • TEFC • Full Frame
- 1.15 and 1.25 Service Factors • Thermo Overload Protection • Continuous Duty • High Efficiency

Drive (V-Belt or Flange & Coupling)

- Continuous Duty V-Belt Drive System with 11 Gauge Belt Guard or Flange & Coupling Drive

Electrical Control Panel

- Nema 4 • Water Tight • Easy Access • Heavy Duty On/Off Cam Switch or Optional Auto Stop/Start with Time Delay

Frame

- All Welded • Powder Coated • 1-1/2" Bent Steel Roll Cage • Lifting Bar • 1/4" Motor and Pump Mounting Plate • Mounted on Large 8" Casters • Capacity for Two 400' Hose Reels (Optional) • Stationary Units also Available

Includes

- Liquid Filled Pressure Gauge • Adjustable Pressure Regulator • Gun and Wand Assembly with Quick Coupler System • 0°/15°/25°/40° Nozzles • 1 Soap Nozzle
- Downstream Chemical Injection System • 50 Feet of High Pressure Hose

Options

- VFD • PLC • Pressure Transducer
- Auto Stop/Start Option
- Call for Option Pricing

These highly efficient Industrial duty cold water units are well designed and available in a wide range of performances. Available in stationary design or as portable, by adding optional wheel kit. Customize units with optional hose reel for added convenience. The low RPM pumps and motors will extend service life and reduce maintenance and operational costs. Call our industry professionals for more details.



Shown as
Stationary Skid

24M31

MODEL #	GPM	PSI	DRIVE	HP	VOLTAGE	PRICE
24M02	4	2000	FLANGE/COUPLING	5	220V 1ph	\$2,489
24M04	4	2000	FLANGE/COUPLING	5	208/440/575V3ph	\$2,489
24M06	4	2000	BELT	5	220V 1ph	\$2,489
24M07	4	2000	BELT	5	208/440/575V 3ph	\$2,489
24M09	4	3000	FLANGE/COUPLING	7.5	220V 1ph	\$2,859
24M11	4	3000	FLANGE/COUPLING	7.5	208/440/575V 3ph	\$2,859
24M12	4	3000	BELT	7.5	220V 1ph	\$2,859
24M14	4	3000	BELT	7.5	208/440/575V 3ph	\$2,859
24M16	5	2500	FLANGE/COUPLING	7.5	208/440/575V 3ph	\$2,859
24M17	8	2000	BELT	10	208/440/575V 3ph	\$3,669
24M19	5.5	3000	BELT	10	220V 1ph	\$3,169
24M21	5.5	3000	BELT	10	208/440/575V 3ph	\$3,169
24M22	4	4000	FLANGE/COUPLING	10	220V 1ph	\$3,799
24M24	4	4000	FLANGE/COUPLING	10	208/440/575V 3ph	\$3,799
24M26	12	1200	BELT	10	208/440/575V 3ph	\$3,799
24M27	6	3600	BELT	15	208/440/575V 3ph	\$3,739
24M29	6.5	4000	BELT	20	208/440/575V 3ph	\$4,599
24M31	5	5000	BELT	20	208/440/575V 3ph	\$4,739
24M32	10	3000	BELT	20	208/440/575V 3ph	\$4,739
24M34	12	2500	BELT	20	208/440/575V 3ph	\$4,739
24M36	8.5	3600	BELT	20	208/440/575V 3ph	\$4,739
24M37	4.3	6500	BELT	20	208/440/575V 3ph	\$5,399
24M39	4	7000	BELT	20	208/440/575V 3ph	\$5,859
24M41	8	8000	BELT	50	208/440/575V 3ph	\$17,269
24M42	6	11,500	BELT	50	208/440/575V 3ph	call for pricing
24M44	4.5	15,000	BELT	50	208/440/575V 3ph	call for pricing



Commercial Cold Water Gasoline

Pumps (EK & General Pumps)

- Commercial Duty Triplex Plunger Pumps
- Oil Bath Crankcase
- Stainless Valves
- Brass Manifold
- Direct Drive
- Thermo Pump Protector

Engines (Kohler, Lifan & Honda)

- Gasoline Driven
- Recoil Start
- Efficient
- Serviceable

Frame

- Removable Handle
- One Piece Bent Steel Base
- Portable Cart Frame
- 13" Pneumatic Tires
- All Powder Coated

Includes

- 36" Gun and Wand Assembly with Quick Coupler System (27" on 6.5 HP Units)
- 0°/15°/25°/40° Nozzles
- 1 Soap Nozzle
- Downstream Chemical Injection System
- 50 Feet of High Pressure Hose

Options & Accessories

- Hose Reel
- Drain Cleaning/Jetter Kit
- Wet Sandblast Kit
- Rotary Nozzle
- Electric Start Option
- Call for Options

Cut Your
Cleaning Time in
Half with a
Rotary Nozzle



Our rugged lineup of commercial gasoline powered washers will tackle most all exterior cleaning needs and outdoor applications. Portable and self-contained, these units are fully tested and ready for use with available factory installed options that will save time and money. Call our industry experts for more details.

Removable Handle



11K16

MODEL #	GPM	PSI	HP / ENGINE	DRIVE	PRICE
11L03	3	2700	6.5 LIFAN	DIRECT	\$709
11K03	3	2700	6.5 KOHLER	DIRECT	\$799
11H04	3	2700	6.5 HONDA	DIRECT	\$965
11L13	3.5	4000	15 LIFAN	DIRECT	\$989
11K13	3.5	4000	14 KOHLER	DIRECT	\$1,049
11H13	3.5	4000	13 HONDA	DIRECT	\$1,239
11H16	4	4000	13 HONDA	DIRECT	\$1,299
11K16	4	4000	14 KOHLER	DIRECT	\$1,179

Industrial Cold Water Gasoline & Diesel



Pumps (General Pumps)

- Industrial Duty Triplex Plunger Pumps
- Oil Bath Crankcase • Stainless Valves
- Brass Manifold • Thermo Pump Protector

Gas Engines (Kohler & Honda)

- Gasoline Driven • Efficient • Serviceable

Diesel Engines (Kohler & Kubota)

- Diesel Driven • Efficient • Serviceable

Drive (Power Band Belt or Gearbox)

- Continuous Duty Power Band Belt Drive System with 11 Gauge Belt Guard or Gearbox Drive

Frame

- All Welded • Powder Coated • 1-1/2" Bent Steel Roll Cage • Lifting Bar • 1/4" Motor and Pump Mounting Plate • 13" Solid Rubber Tires • 10 Gallon Poly Fuel Tank • Built for a 400 Foot Hose Reel (Optional) • 24K02 and 24H03 have Two Wheeled Carts • Stationary Units also Available

Includes

- Liquid Filled Pressure Gauge • Adjustable Pressure Regulator • 36" Gun and Wand Assembly with Quick Coupler System
- 0°/15°/25°/40° Nozzles • 50 Feet of High Pressure Hose

Options & Accessories

- Hose Reel • Rotary Nozzle • Drain Cleaning Kit
- Wet Sandblast Kit • Stationary Frame • Casters
- Forklift Slots • Low Emission Exhaust
- Call for Options
- Battery not Included on Electric Start Units

Power up with a complete lineup of cold water gasoline and diesel pressure washers to master numerous applications. With pressure up to 15,000 PSI and up to 12.0 GPM in flow, you will get the performance you need. Call our expert support staff to learn more.



24D06
Shown with
Optional Hose Reel

Industrial Cold Water Gasoline

MODEL #	GPM	PSI	DRIVE	ENGINE	PRICE
24K02	4	3500	GEARBOX / BELT	14 HP KOHLER	\$2,069
24H03	4	3000	GEARBOX / BELT	13 HP HONDA	\$2,319
24H05	6	3500	GEARBOX	24 HP HONDA	\$4,099
24H07	7	3600	POWER BAND BELT	24 HP HONDA	\$4,599
24H09	8	3500	POWER BAND BELT	24 HP HONDA	\$4,599
24H11	7.5	3600	GEARBOX	24 HP HONDA	\$5,545
			JABSCO PUMP		
24K04	12	2500	POWER BAND BELT	38 HP KOHLER	\$5,999
24K06	10	3000	POWER BAND BELT	38 HP KOHLER	\$5,999
24H13	5	5000	POWER BAND BELT	24 HP HONDA	\$4,599
24H15	4.5	6000	POWER BAND BELT	24 HP HONDA	\$5,359
24H17	4	7000	POWER BAND BELT	24 HP HONDA	\$5,769

Industrial Cold Water Diesel

MODEL #	GPM	PSI	DRIVE	ENGINE	PRICE
24D02	4	3200	POWER BAND BELT	9.8 HP KOHLER	\$5,199
24D04	5	5000	POWER BAND BELT	26 HP KOHLER	\$10,269
24D06	4	7000	POWER BAND BELT	26 HP KOHLER	\$11,499
24D07	8	8000	GEARBOX	58 HP KUBOTA	\$29,499
24D09	6	11,500	BELT OR GEARBOX	58 HP KUBOTA	\$48,299
24D11	4.5	15,000	BELT OR GEARBOX	58 HP KUBOTA	call for pricing



Commercial Hot Water Electric - Oil Fired

Pumps (General Pump & EK pumps)

- Commercial Duty Triplex Plunger Pumps
- Oil Bath Crankcase • Stainless Valves
- Brass Manifold • Direct Drive
- Thermo Pump Protector

Electric Motors (2, 5 & 7.5 HP)

- 1750 RPM • TEFC • Full Frame • 1.15 Service Factor • Thermal Overload Protection
- Continuous Duty

Electrical Control Panel

- Nema 4 • Water Tight • Easy Access
- Heavy Duty On / Off Cam Switch
- Auto Stop / Start with Time Delay Optional

Heating Coil

- Schedule 80 Pipe • Elliptically Wound & Stretched • No Seam Welds • Structurally Braced to Reduce Vibration & Pipe Wear
- Sealed with Ceramic Blanket • Stainless Steel Housing

Wayne Burners

- Oil Fired • Adjustable Thermostat
- On/Off Switch • North American Made
- Dependable • Serviceable

Frame

- All Welded • Powder Coated
- 12 Gauge Bent Steel Roll Cage • Lifting Bar
- 3/4" Threaded Axles Welded to Frame
- 13" Pneumatic Wheels Attached with Lock Nuts • 10 Gallon Poly Fuel Tank • Hose Reel Mounting Plate • Rear Wheel Brake Lock

Includes

- 36" Gun and Wand Assembly with Quick Coupler System • 0°/15°/25°/40° Nozzles
- 1 Soap Nozzle • Downstream Chemical Injection System • 50 Feet of High Pressure Hose

Options & Accessories

- Auto Stop/Start • Hose Reel
- Rotary Nozzle • Wet Sandblast Kit
- Water Broom • Drain Cleaning/Jetter Kit
- Call for Options

Commercial hot water electric powered units are portable and fully featured. Models available in 110V & 220 V configurations. A choice of pressure and flows deliver the performance you need and expect. Units can be factory outfitted with optional auto start and stop with time delay, hose reel and more. Call our industry expert customer service team to learn more.

KIT-HR150HP-3-BLK

*Add an optional Hose Reel to your order



Shown with Optional
KIT-HR150HP-3-BLK
On-Board Hose Reel
18M05

MODEL #	GPM	PSI	BTU	ELECTRIC DRIVE	HP/VOLTAGE	PRICE
18M02	2	1500	200,000	1750 RPM	2/110V/1ph	\$2,519
18M04	3.4	2400	350,000	1750 RPM	5/220V/1ph	\$3,249
18M05	3.5	2400	350,000	1750 RPM	5/220V/1ph	\$3,119
18M07	3.6	3600	350,000	1750 RPM	7.5/220V/1ph	\$3,619
18M08	3.5	3000	350,000	1750 RPM	7.5/220V/1ph	\$3,499

Industrial Hot Water Electric - Oil Fired



Pumps (General Pump)

Industrial Duty Triplex Plunger Pumps · Oil Bath Crankcase · Stainless Valves · Brass Manifold · Thermo Pump Protector

Electric Motors (5, 7.5, 10, 15, 20 & 50 HP)

1750 RPM · TEFC · Full Frame · 1.15 Service Factor · Thermal Overload Protection · Continuous Duty · 3 Phase (High Efficiency)

Electrical Control Panel

Nema 4 · Water Tight · Easy Access · Heavy Duty On/Off Cam Switch Or Optional Auto Stop/Start With Time Delay

Heating Coil

Schedule 80 & 160 Pipe · Elliptically Wound & Stretched · No Seam Welds · Structurally Braced To Reduce Vibration & Pipe Wear · Sealed with Ceramic Blanket · Stainless Steel Housing · Thermostat Controlled Optional CRN/ASME 30.1 Pressure Vessel Coded Coils

Wayne Burners

Oil Fired · Adjustable Thermostat · On/Off Switch · Cleanable Fuel Filters · North American Made · Dependable · Serviceable

Frame

All Welded · Powder Coated · Heavy Gauge Bent One Piece Plate · Tip Ahead Shroud With Built in Belt Guard Designed to Fully Expose All components for Ease of Maintenance · 10 Gallon Poly Fuel Tank (15/20/50 HP Fuel Tank Optional) · Hose Reel Compatible · Portable Units Are Mounted On Two 13" Solid Rubber Tires And Two 8" Heavy Duty Casters (Optional) · Stationary Units Built with Skid Style Frame


Includes

Liquid Filled Pressure Gauge · Adjustable Pressure Regulator · 48" Gun And Wand Assembly with Quick Coupler System · 0°/15°/25°/40° Nozzles · 1 Soap Nozzle · Chemical Injection System · 50 Feet Of High Pressure Hose

Options & Accessories

Hose Reel · Wheel Kit - Add (-WK) · Remote · VFD · PLC · Pressure Transducer · Auto Stop/Start Option · Call For Option Pricing
Oil Fired - O · Propane Fired - LP · Natural Gas Fired - NG

Our industrial hot water series offers the most diverse range of performance specifications available. Low speed pumps and motors ensure reliable and continuous service while offering minimal downtime. Featuring pressures up to 8,000 PSI and up to 12.0 GPM in water flow. Units can be factory outfitted with optional auto start and stop with time delay, hose reel wheel kits and more. Call our industry expert customer service team to learn more.



Shown with Optional
KIT-HR150HP-3-BLK On-Board Hose
Reel, Auto Stop/Start, & Wheel Kit
25M15

MODEL #	GPM	PSI	OIL FIRED BTU	LP & NG FIRED BTU	DRIVE	HP	VOLTAGE	L" x W" x H"	PRICE
25M03	4	2000	400,000	390,000	FLANGE/COUPLING	5	220V-1PH	48 x 26 x 43	\$4,499
25M05	4	2000	400,000	390,000	BELT	5	220V-1PH	48 x 26 x 48	\$4,499
25M07	4	2000	400,000	290,000	FLANGE/COUPLING	5	208/440/575 V-3PH	48 x 26 x 43	\$4,499
25M08	4	2000	400,000	390,000	BELT	5	208/440/575 V-3PH	48 x 26 x 48	\$4,499
25M10	4	3000	400,000	390,000	FLANGE/COUPLING	7.5	220V-1PH	48 x 26 x 43	\$4,799
25M12	4	3000	400,000	390,000	BELT	7.5	220V-1PH	48 x 26 x 48	\$4,799
25M13	4	3000	400,000	390,000	FLANGE/COUPLING	7.5	208/440/575 V-3PH	48 x 26 x 43	\$4,799
25M15	4	3000	400,000	390,000	BELT	7.5	208/440/575 V-3PH	48 x 26 x 48	\$4,799
25M17	5	3000	500,000	390,000	BELT	10	220V-1PH	48 x 26 x 48	\$5,245
25M18	5	3000	500,000	390,000	BELT	10	208/440/575 V-3PH	48 x 26 x 48	\$5,245
25M19	5	3000	NA	510,000	BELT	10	220V-1PH	61 x 31 x 51	\$8,945
25M19.5	5	3000	NA	510,000	BELT	10	208/440/575 V-3PH	61 x 31 x 51	\$8,945
25M20	4	4000	400,000	390,000	FLANGE/COUPLING	10	220V-1PH	48 x 26 x 43	\$6,099
25M22	4	4000	400,000	390,000	BELT	10	208/440/575 V-3PH	48 x 26 x 48	\$6,099
25M23	8	2000	800,000	720,000	BELT	10	220V-1PH	48 x 26 x 48	\$7,369
25M25	6	3600	600,000	920,000	BELT	15	208/440/575 V-3PH	60 x 31 x 50	\$7,399
25M27	8	3000	800,000	720,000	BELT	20	208/440/575 V-3PH	60 x 31 x 54	\$7,869
25M28	8	3600	800,000	720,000	BELT	20	208/440/575 V-3PH	60 x 31 x 65	\$7,869
25M30	10	3000	1,000,000	920,000	BELT	20	208/440/575 V-3PH	60 x 31 x 65	\$8,869
25M32	12	2500	1,200,000	940,000	BELT	20	208/440/575 V-3PH	60 x 31 x 65	\$8,869
25M33	5	5000	500,000	540,000	BELT	20	208/440/575 V-3PH	60 x 31 x 50	\$8,869
25M35	4	6000	400,000	390,000	BELT	20	208/440/575 V-3PH	60 x 31 x 50	\$10,245
25M37	4	7000	400,000	390,000	BELT	20	208/440/575 V-3PH	60 x 31 x 50	\$10,999
25M38	8	8000	800,000	940,000	BELT	50	440/575 V-3PH	64 x 38 x 59	\$30,669



Industrial Hot Water Fully Electrically Heated

Pumps (General Pumps)

- Industrial Heavy Duty Triplex Plunger Pumps · Oil Bath Crank Case
- Stainless Valves · Brass Manifold · Thermo Pump Protector · Belt Or Flange & Coupling Driven

Electric Motors (3, 5, 7.5, 10 & 20 HP)

- 1750 RPM · TEFC · Full Frame · 1.25 Service Factor · High Efficiency
- Thermo Overload Protection · Continuous Duty

Heater

- 316 Stainless Steel Heat Exchanger Coil · Designed For Continuous Use
- Large 70 Gallon (Single Coil Models) & 120 Gallon (Dual Coil Models) Heater Storage Tanks · Allows for Continuous Recovery Even When Trigger Gun (s) Not in Use · No Open Flame · Can be Installed in Virtually Any Location · Compact Foot Print · Standard and Explosion Proof Models · No Venting Required · Heater Exchanger Coils Do Not Require Decalcification · Require Less KW Than Input Direct-immersion Type Electrically Heated Models · Low Heat Exchanger Solution Cut-Off Switch · Adjustable Temperature Controller · Pin-Type Calrod Heating Elements With Incoloy Sleeves

Frame

- All Welded - Powder Coated · 11 Gauge Bent Steel Tip Ahead Shroud Designed To Expose All Components for Ease of Service

Includes

- Liquid Filled Pressure Gauge · Adjustable Pressure Regulator · 48" Gun and Wand Assembly with Quick Coupler System · 0°/15°/25°/40° Nozzles · 50 Feet of High Pressure Wash Hoses (8 - 10 GPM Units Come with 2 Gun & Wand Assemblies & 50 Feet of High Pressure Hose)

Utilized by: Mines, Mills, Refineries, Service Shops and Food Processing Plants

Options & Accessories

- A Full Range of Portable Frames & Configurations · Stainless Steel Covers & Skins · 50HZ Models · ASME B31.1 2004 (Power Piping) Code Compliant Units & Explosion Proof Models
- VFD · PLC Control · Remote Control · Wheel Kit
- Call for Options



MODEL #	GPM	PSI	HEATER INPUT	MOTOR HP	TOTAL AMP 3PH			DIMENSIONS L" x W" x H"	PRICE	
					208	460	575		208	460/575
26M02	4	1200	24KW	3	72.5	33.3	26.6	32 x 24 x 52	\$6,069	\$5,949
26M04	4	1200	48KW	3	134.8	62.2	49.7	32 x 24 x 52	\$6,879	\$6,299
26M06	4	2000	24KW	5	77.1	35.5	28.4	32 x 24 x 52	\$6,299	\$5,129
26M07	4	2000	48KW	6	139.8	64.4	51.8	32 x 24 x 52	\$7,199	\$6,449
26M09	4	2000	72KW	5	N/A	93.3	74.4	38 x 24 x 52	NA	\$6,899
26M11	4	3000	24KW	7.5	85	39.1	31.3	32 x 24 x 52	\$6,949	\$6,299
26M12	4	3000	48KW	7.5	147.5	68	54.4	32 x 24 x 52	\$7,899	\$6,299
26M14	4	3000	72KW	7.5	N/A	98.5	78.9	38 x 24 x 52	NA	\$7,299
26M16	4	4000	48KW	10	154	70.9	56.7	32 x 24 x 52	\$8,799	\$7,899
26M17	4	4000	72KW	10	N/A	99.8	79.9	38 x 24 x 52	NA	\$8,279
26M19	4	5000	48KW	15	N/A	75.8	60.7	32 x 28 x 55	\$13,799	\$12,799
26M21	4	5000	72KW	15	N/A	104.8	83.9	38 x 28 x 55	N/A	\$13,199
26M22	5	5000	48KW	20	N/A	62.8	66.5	32 x 28 x 55	\$15,199	\$13,899
26M24	5	5000	72KW	20	N/A	112.2	89.8	38 x 28 x 55	NA	\$14,399
26M26	5	3500	48KW	10	154	70.9	56.7	32 x 24 x 52	\$8,949	\$6,969
26M27	5	3500	72KW	10	N/A	99.8	79.9	32 x 24 x 52	NA	\$7,499
26M29	5.6	2000	48KW	7.5	147.5	68	54.4	32 x 24 x 52	\$6,699	\$6,659
26M31	5.8	2000	72KW	7.5	N/A	98.9	77.8	32 x 24 x 52	NA	\$7,199
26M32	6	1200	48KW	5	139.8	64.4	51.8	32 x 24 x 52	\$6,599	\$6,599
26M34	6	2000	48KW	10	147.5	68	54.4	53 x 48 x 40	\$8,699	\$9,629
26M36	6	2000	72KW	10	N/A	98.9	77.8	53 x 48 x 40	NA	\$10,069
26M37	6	1200	48KW	7.5	147.5	68	54.4	53 x 48 x 40	\$9,529	\$9,529
26M39	6	1200	72KW	7.5	N/A	98.9	77.8	53 x 48 x 40	NA	\$10,069
26M41	6	2000	48KW	10	154	70.9	56.7	53 x 48 x 40	\$10,199	\$9,529
26M42	6	2000	72KW	10	N/A	98.9	77.8	53 x 48 x 40	NA	\$10,399
26M44	6	3000	48KW	15	165	75.9	60.7	53 x 48 x 40	\$11,699	\$11,859
26M46	6	3000	72KW	15	N/A	104.8	83.9	53 x 48 x 40	NA	\$11,899
26M47	10	3000	72KW	20	N/A	112.2	89.8	53 x 48 x 40	NA	\$12,659
26M49	10	3000	96KW	20	N/A	141.3	113.1	53 x 48 x 40	NA	\$13,099
26M51	10	3000	115KW	20	N/A	164.3	131.4	53 x 48 x 40	NA	\$14,099

Marine & Truck Series



Pumps (General Pumps & Cat Pumps)

- Industrial Duty Triplex Plunger Pumps · Oil Bath Crankcase · Stainless Valves · Brass Manifold
- Direct Drive · Thermo Pump Protector

Electric Motors

- 1750 RPM · TEFC · Full Frame · 1.15 Service Factor · Thermo Overload Protection
- Continuous Duty

Hydraulic Drive

- Industrial Continuous Duty, Belt, Gear, and Direct Drive Hydraulic Driven Pressure Washer Systems. Ideally Suited for Use Within Minimal Space and When Hydraulic Power is Available: Including PTO Drive Applications.

Electric Clutch

- Industrial Duty Clutch System Reduces Wear on Pump & Engine and Improves Fuel Consumption. Use With V-Belt Gasoline or Diesel Engine.

Frame

- Compact 12 Gauge and 1/4" Frame Assembly
- All Powder Coated or Stainless Steel (Optional)

Includes

- Liquid Filled Pressure Gauge · Adjustable Pressure Regulator · 36" Gun and Wand Assembly with Quick Coupler System · 4 Wash Nozzles
- 1 Soap Nozzle · Downstream Soap Injection System · 50 Feet of High Pressure Hose

Marine and Truck Series are available in electric direct drive, electric clutch, hydraulic, and PTO drive inputs. Applications include installation within confined areas, marine, workboat, fishing vessels and mobile trucks. The all electric powered units are featured with and without clutch drive and ideal for use when minimal space is available.



31HYD09

31M08



31MC04

Marine & Truck Series - Hydraulic

MODEL #	GPM	PSI	DRIVE	POWER	PRICE
31HYD02	3	3000	COUPLING	6 GPM @ 2000 PSI	\$1,299
31HYD03	4	3500	COUPLING	10 GPM @ 2000 PSI	\$2,299
31HYD05	6	3500	COUPLING	12 GPM @ 2000 PSI	\$2,679
31HYD06	9	3000	COUPLING	16 GPM @ 2000 PSI	\$4,049
31HYD08	8	4000	V-BELT	18 GPM @ 2000 PSI	\$3,999
31HYD09	5	5000	COUPLING	18 GPM @ 2000 PSI	\$3,899
31HYD11	20	4000	COUPLING	54 GPM @ 2000 PSI	CALL FOR PRICING

Marine & Truck Series - Electric Clutch

MODEL #	GPM	PSI	DRIVE	POWER	VOLTAGE	PRICE
31MC02	4	2000	V-BELT	5 BHP	12 VOLTS	\$1,999
31MC03	5	3500	V-BELT	10 BHP	12 VOLTS	\$2,199
31MC04	8	4000	V-BELT	20 BHP	12 VOLTS	\$3,169

Marine Series - Electric Motor

MODEL #	GPM	PSI	DRIVE	POWER	VOLTAGE	PRICE
31M02	4	2000	FLANGE & COUPLING	5 HP	220/1PH	\$2,719
31M03	4	2000	FLANGE & COUPLING	5 HP	230/440/575V 3PH	\$2,719
31M05	4	3000	FLANGE & COUPLING	7.5 HP	220/1PH	\$2,969
31M06	4	3000	FLANGE & COUPLING	7.5 HP	230/440/575V 3PH	\$2,899
31M08	4	4000	FLANGE & COUPLING	10 HP	220/1PH	\$3,349
31M09	4	4000	FLANGE & COUPLING	10 HP	230/440/575V 3PH	\$3,349



Commercial Hot Water Gasoline & Diesel - Oil Fired

Pumps (EK & General Pumps)

- Commercial Duty Triplex Plunger Pump • Oil Bath Crankcase • Stainless Valves • Brass Manifold
- Direct Drive • Thermo Pump Protector

Engines (Kohler, Lifan & Honda)

- Gasoline or Diesel Driven • Efficient • Serviceable

Heating Coil

- Schedule 80 Pipe • Elliptically Wound & Stretched
- No Seam Welds • Structurally Braced to Reduce Vibration & Pipe Wear • Sealed with a Ceramic Blanket • Stainless Steel Housing

Wayne Burners - 120V & 12V

- High Limit Over Heat Protection (upgrade for \$100)
- On/Off switch
- North American Made • Dependable • Serviceable
- *External 120 Vt Electricity Required on 120 Vt. *

Frame

- All Welded • Powder Coated • 12 Gauge Bent Steel Roll Cage • Lifting Bar • 3/4" Threaded Axles Welded to the Frame • 13" Pneumatic Wheels Attached with Lock Nuts • 10 Gallon Poly Fuel Tank • Hose Reel Mounting Plate • Stationary Skid Frame also Available


Includes

- 36" Gun and Wand Assembly with Quick Coupler System • 0°/15°/25°/40° Nozzles • 1 Soap Nozzle
- Downstream Chemical Injection System • 50 Feet of High Pressure Hose

Options & Accessories

- Hose Reel • Rotary Nozzle • Drain Cleaning/Jetter Kit
- Battery Not Included
- Call for Options

Our Commercial hot water gasoline powered series offers the most diverse lineup of hot water portable cleaning solutions available. These fully featured units include 12 Vt self contained gas-powered units or 120 Vt versions when electrical service is available. Your choice of durable engines and industrial continuous duty triplex plunger pumps are available.



18K15

Commercial Hot Water - 12 VDC & 120 V - Oil Fired - Gasoline Engine								
MODEL #	GPM	PSI	BTU	HP/ Engine	DRIVE	ELECTRIC START	BURNER	PRICE
18K03	3	2700	300,000	6.5 KOHLER	DIRECT	NO	120V*	\$2,559
18L20	3.5	4000	350,000	15 LIFAN	DIRECT	NO	120V*	\$2,699
18K05	3.5	4000	350,000	14 KOHLER	DIRECT	NO	120V*	\$2,929
18K07	3.5	4000	350,000	14 KOHLER	DIRECT	NO	120V*	\$2,999
18H60	3.5	4000	350,000	13 HONDA	DIRECT	NO	120V*	\$3,099
18H62	3.5	4000	350,000	13 HONDA	DIRECT	NO	120V*	\$3,399
18L41	3.5	4000	350,000	15 LIFAN	DIRECT	YES	120V*	\$2,799
18K09	3.5	4000	350,000	14 KOHLER	DIRECT	YES	120V*	\$2,949
18K11	3.5	4000	350,000	14 KOHLER	DIRECT	YES	120V*	\$3,069
18H64	3.5	4000	350,000	13 HONDA	DIRECT	YES	120V*	\$3,449
18H66	3.5	4000	350,000	13 HONDA	DIRECT	YES	120V*	\$3,569
18L43	3.5	4000	350,000	15 LIFAN	DIRECT	YES	12V	\$2,799
18L45	3.5	4000	350,000	15 LIFAN	DIRECT	YES	12V	\$2,949
18K13	3.5	4000	350,000	14 KOHLER	DIRECT	YES	12V	\$2,949
18K15	3.5	4000	350,000	14 KOHLER	DIRECT	YES	12V	\$3,069
18H68	3.5	4000	350,000	13 HONDA	DIRECT	YES	12V	\$3,399
18H70	3.5	4000	350,000	13 HONDA	DIRECT	YES	12V	\$3,569
18K17	4	3500	400,000	14 KOHLER	GEARBOX	YES	12V	\$4,199
18H72	4	3000	400,000	13 HONDA	GEARBOX	YES	12V	\$4,799

External 120 Vt Electricity Required on 120 V

Commercial Hot Water Diesel - Oil Fired - Diesel Engine								
MODEL #	GPM	PSI	BTU	HP/ Engine	DRIVE	ELECTRIC START	BURNER	PRICE
18D02	4	3200	350,000	9.8 KOHLER	DIRECT	YES	12V	\$7,639
18D04	4	3200	400,000	9.8 KOHLER	GEARBOX	YES	12V	\$9,199

Portable Skid Units



Pumps (General Pump)

- Heavy Duty Triplex Plunger Pumps
- Oil Bath Crankcase
- Stainless Valves
- Brass Manifold
- Gearbox Drive
- Thermo Pump Protector

Engines

- 14 HP Kohler Gasoline Engine or
- 9.8 HP Kohler Diesel Engine
- Efficient - Serviceable

Heating Coil

- Schedule 80 Pipe
- Elliptically Wound & Stretched
- No Seam Welds
- Structurally Braced to Reduce Vibration & Pipe Wear
- Sealed with a Ceramic Blanket
- Stainless Steel Housing

Wayne Burners - 12 Volt

- Oil Fired
- High Limit Over Heat Protection (\$100 option)
- On/Off Switch
- North American Made
- Dependable
- Serviceable

The Water Cannon Portable Skid Unit is a totally self contained system that allows for 100% portable cleaning. These modular units require minimal space and can be easily placed in Pickup Truck or Trailer Bed. Forklift slots and a lifting eye make loading this unit easy and efficient. There is also a built in winterization system which makes year round cleaning and transportation possible.

Frame

- 2 x 4 Tube Fully Welded Steel
- Powder Coated
- Lifting Eye
- Forklift Slots
- 225 Gallon Poly Water Tank
- 10 Gallon Winterization System

Includes

- Hose Reel
- 36" Gun and Wand Assembly with Quick Coupler System
- 0"/15"/25"/40" Nozzles - 1 Soap Nozzle
- Downstream Soap Injection System
- 100 Feet of High Pressure Hose

Options & Accessories

- Drain Cleaning/Jetter Kit
- Rotary Nozzle
- Wet Sandblast Kit
- Honda Gasoline Engine
- Battery Not Included



KIT-HR150HP-3-BLK

MODEL #	GPM	PSI	BTU	HP/ENGINE	DRIVE	ELECTRIC START	BURNER	PRICE
19K02	4	3500	400,000	14 KOHLER	GEARBOX	YES	12V	\$6,669
19D04	4	3200	400,000	9.8 KOHLER	GEARBOX	YES	12V	\$11,059

Jetter Unit



SELF CONTAINED JETTER UNIT


- 35 HP Vanguard Gasoline Engine
- General Pump (Gearbox Driven)
- 12 GPM @ Up To 3500
- 12 Volt Electric Hose Reel Complete with Hose Guides, Super Swivel, and Foot Pedal Control
- 300 Feet of 3/8" Jetter Hose
- 10 Gallon Poly Fuel Tank
- 200 Gallon Poly Water Tank with 10" Lid
- Emergency Shut Off Valve and Hour Meter
- Frame: 2" Square Tubing, Fully Welded, Powder Coated, Drilled and Tapped. Complete with Forklift Slots.

Designed to be transported in a pickup, flatbed truck or accessed by side or rear door of enclosed truck or van.

Optional Wireless Remote to Control:

- Hose Reel Rewind
- Motor OFF and Speed Control
- Pressure ON/OFF
- Call for Option Pricing
- Battery not Included on Electric Start Units

Fully modular 200 gallon tank fed jetter systems features minimal space as a portable skid or installed in van or pickup truck. Forklift slots ensure easy loading on multiple job locations or vehicles.



17J77

MODEL #	GPM	PSI	HP	DRIVE	WATER TANK	FUEL TANK	HOSE REEL	PRICE
17J77	12	3200	35 HP VANGUARD	GEARBOX	200 GALLON	10 GALLON	12 VOLT - 300 FT	\$13,495



Industrial Hot Water Gasoline - Oil Fired

Pumps (General Pumps)

- Industrial Heavy Duty Triplex Plunger Pumps • Oil Bath Crankcase • Stainless Valves • Brass Manifold • Thermo Pump Protector • Belt or Gearbox Driven

Engines (Kohler & Honda)

- Gasoline Driven • Efficient • Serviceable

Heating Coil

- Schedule 80 & 160 Pipe • Elliptically Wound & Stretched • No Seam Welds • Structurally Braced to Reduce Vibration & Pipe Wear • Sealed With Ceramic Blanket • Stainless Steel Housing • Optional CRN/ASME 30.1 Pressure Vessel Coded Coils

Wayne Burners - 12 & 120 Volt

- Oil Fired • High Limit Over Heat Protection (\$100 Upgrade) • On/Off Switch • North American Made • Cleanable Fuel Filter • Dependable • Serviceable • *120VT Units Includes 2000 Watt Onboard Generator and 120 Vt Burner

Compact Frame

- All Welded • Powder Coated • 1 1/2" Bent Steel Cage with 3/16" Mounting Plate • Lifting Bar • All Mounting Bolts are Welded to the Frame for Ease of Service • 10 Gallon Gas Tank • 20 Gallon Fuel Tank • Designed to be Truck or Trailer Mounted • Skid Frame Design • Hose Reel Compatible

Includes

- Adjustable Pressure Regulator • 48" Gun & Wand Assembly With Quick Coupler System • 0°/15°/25°/40° Nozzles • 50 Feet of High Pressure Hose

Options & Accessories

- Steam Kit • Hose Reel • All In One Skid & Water Tank Frames • Open and Enclosed Trailer Packages • Certified Lift Cages • Electric Clutch • Drain Cleaning/Jetter Kit • Wheel Kit • Call for 25 HP Kohler Engine Pricing • Battery not Included on Electric Start Units • Call for Options

These versatile hot water skid units are ideally suited for mobile cleaning solutions on truck bed or trailer installations. Powered by Honda or Kohler engines as noted. Models include: 12 Vt and 120Vt with on board 2000-watt generator. Low speed pumps and accessories are standard. Options include drain jetter, hose reel, electric clutch, steam valve and wheel kit. Contact our Customer Service experts to get more information.



27H32

MODEL #	GPM	PSI	BTU	HP	DRIVE	BURNER	L" x W" x H"	PRICE
27K03-STEAM	1.5	300	400,000	14 KOHLER	BELT	12	43 x 31 x 45	\$5,169
27H05	4	3000	400,000	13 HONDA	BELT	12	54 x 26 x 48	\$6,899
27H07	4	3000	400,000	13 HONDA	BELT	120*	54 x 26 x 48	\$6,799
27K08	4	3500	400,000	14 KOHLER	GEARBOX	12	54 x 26 x 48	\$5,399
27K10	4	3500	400,000	14 KOHLER	BELT	12	54 x 26 x 48	\$5,399
27K12	4	3500	400,000	14 KOHLER	BELT	120*	54 x 26 x 48	\$6,399
27H14	5	3500	500,000	24 HONDA	BELT	12	54 x 26 x 48	\$6,799
27H15	5	3500	500,000	24 HONDA	BELT	120*	54 x 26 x 48	\$7,799
27H17	6	3500	600,000	24 HONDA	BELT	12	54 x 26 x 48	\$6,859
27H19	6	3500	600,000	24 HONDA	BELT	120*	54 x 26 x 48	\$7,999
27H20	8	3000	800,000	24 HONDA	BELT	12	54 x 26 x 51	\$7,549
27H22	8	3000	800,000	24 HONDA	BELT	120*	54 x 26 x 51	\$8,549
27K24	10	3000	1,000,000	38 KOHLER	BELT	12	66 x 31 x 65	\$10,999
27K25	10	3000	900,000	38 KOHLER	BELT	120*	66 x 31 x 65	\$12,699
27K27	8	3700	800,000	38 KOHLER	BELT	12	66 x 31 x 55	\$10,499
27K29	8	3700	800,000	38 KOHLER	BELT	120*	66 x 31 x 55	\$12,369
27H30	5	5000	500,000	24 HONDA	BELT	12	54 x 26 x 51	\$7,649
27H32	5	5000	500,000	24 HONDA	BELT	120*	54 x 26 x 51	\$6,799
27H34	4	6000	400,000	24 HONDA	BELT	12	54 x 26 x 51	\$10,799
27H35	4	6000	400,000	24 HONDA	BELT	120*	54 x 26 x 51	\$12,229
27K37	6	6000	600,000	38 KOHLER	BELT	12	66 x 31 x 55	\$19,199
27K39	6	6000	600,000	38 KOHLER	BELT	120*	66 x 31 x 55	\$21,099
27H40	4	7000	400,000	24 HONDA	BELT	12	54 x 26 x 51	\$11,269
27H42	4	7000	400,000	24 HONDA	BELT	120*	54 x 26 x 51	\$12,769

Includes 2000 Watt Onboard Generator and 120 Vt Burner

Industrial Hot Water Diesel - Oil Fired



Pumps (General Pumps)

- Industrial Heavy Duty Triplex Plunger Pumps • Oil Bath Crankcase • Stainless Valves • Brass Manifold • Thermo Pump Protector • Belt Or Gearbox Driven

Engine (Kohler & Kubota)

- Diesel Driven • Efficient • Serviceable

Heating Coil

- Schedule 80 & 160 Pipe • Elliptically Wound & Stretched
- No Seam Welds • Structurally Braced to Reduce Vibration & Pipe Wear • Sealed with a Ceramic Blanket • Stainless Steel Housing

Optional CRN/ASME 30.1 Pressure Vessel Coded Coils

Wayne Burners - 120 Volt & 12 Volt

- Oil Fired • Adjustable Thermostat • On/Off Switch
- North American Made • Dependable • Serviceable
- *Includes 2000 Watt Onboard Generator and 120 Vt Burner*

Frame

- Extreme Duty 2" Square Frame Tubing & 1/4" Mounting Plates • All Welded • Powder Coated • All Mounting Bolts are Welded to the Frame for Ease of Service • Lifting Eye • Fork Lift Slots • Convenient Control Panel • Twin 20 Gallon Diesel Engine Fuel Tanks on 26HP Units - (100 Gallon Optional on 58HP Units) • 58 HP Units (2"x4" Steel Tubing with 1/2" Mounting Plate)


Includes

- Adjustable Pressure Regulator • 48" Gun And Wand Assembly With Quick Coupler System • 0°/15°/25°/40° Nozzles • 50 Feet Of High Pressure Hose • Battery Not Included

Options & Accessories

- Steam Kit (Add -STM) • Hose Reel • All In One Skid & Water Tank Frames • Open and Enclosed Trailer Packages • Certified Lift Cages • Electric Clutch • DrainCleaning/Jetter Kit • Wheel Kit
- Call for Options

Continuous duty stationary hot water diesel fired, diesel powered skid units are ideally suited for mobile cleaning on truck bed or trailer installations. Powered by reliable Kohler and Kubota diesel engines. Models include: 12 Vt and 120 Vt with on board 2000-watt generator. Heavy Duty frame with 1/2" steel base-plate. Low speed pump drive and all accessories are standard. Options include drain jetter, hose reel, electric clutch, steam valve and wheel kits. Contact our Customer Service experts to get more information.



27D14

MODEL #	GPM	PSI	BTU	HP	DRIVE	BURNER	L" x W" x H"	PRICE
27D02	4	3200	400,000	9.8 KOHLER	BELT	12	54 x 26 x 51	\$8,899
27D04	4	3200	400,000	9.8 KOHLER	BELT	120*	54 x 26 x 51	\$9,499
27D06	6	3500	600,000	26 KOHLER	BELT	12	68 x 39 x 52	\$11,159
27D07	6	3500	600,000	26 KOHLER	BELT	120*	68 x 39 x 52	\$11,849
27D09	8	3500	800,000	26 KOHLER	BELT	12	68 x 39 x 53	\$12,655
27D11	8	3500	800,000	26 KOHLER	BELT	120*	68 x 39 x 53	\$13,099
27D12	10	3000	900,000	26 KOHLER	BELT	12	73 x 39 x 68	\$14,349
27D14	10	3000	1,000,000	26 KOHLER	BELT	120*	73 x 39 x 68	\$15,999
27D16	5	5000	500,000	26 KOHLER	BELT	12	68 x 39 x 52	\$12,659
27D17	5	5000	500,000	26 KOHLER	BELT	120*	68 x 39 x 52	\$14,159
27D19	10	5000	900,000	58 KUBOTA	BELT	12	100 x 36 x 67	\$45,999
27D21	10	5000	1,000,000	58 KUBOTA	BELT	120*	100 x 36 x 67	\$46,599
27D22	4	6000	400,000	26 KOHLER	BELT	12	68 x 39 x 52	\$14,999
27D24	4	6000	400,000	26 KOHLER	BELT	120*	68 x 39 x 52	\$15,599
27D26	4	7000	400,000	26 KOHLER	BELT	12	68 x 39 x 52	\$15,799
27D27	4	7000	400,000	26 KOHLER	BELT	120*	68 x 39 x 52	\$16,799
27D29	8	8000	900,000	58 KUBOTA	BELT	12	100 x 36 x 67	\$46,199
27D31	8	8000	1,000,000	58 KUBOTA	BELT	120*	100 x 36 x 67	\$46,599
27D32	6	11,500	800,000	58 KUBOTA	BELT	12	100 x 36 x 67	\$62,199
27D33	20	4000	1,800,000	58 KUBOTA	BELT	120*	100 x 36 x 67	Call for pricing

Includes 2000 Watt Onboard Generator and 120 Vt Burner



Modular Hot Water Heaters - Oil Fired

Heating Coil

Elliptically wound cold process of stretched reduced fully body normalized ASTM A53/API5L schedule 80 or optional 160 pipe is structurally braced to minimize pipe wear and vibration. The coil is sealed with a ceramic blanket and enclosed in a stainless steel housing for heating efficiency. These coils have been specially designed to be paired with the burners for maximum heating and fuel efficiency. The coils are securely mounted to the frames to reduce vibration and enhance ease of maintenance. Wet/Dry steam option available. (Optional 11,500 PSI Coils)

Optional CRN/ASME 30.1 Pressure Vessel Coded Coils

Wayne Burners

Quality North American made oil fired burners with adjustable thermostats are used due to their efficiency and durability. Safety features include: flow switch, pressure switch, rupture disc, high limit and adjustable thermostat.

Control Panel

Nema 4 water tight control panels are utilized.

Frames

Industrial grade frames are fully welded and powder coated for longevity. Install ready. • Battery Not Included on 12 Vt Units

Cabinets (VCB Models)

The frame is constructed with one piece of 11 gauge steel that is box bent with a 1/4 inch steel coil base (Fully welded and powder coated). The unit is equipped with two service panels at the base of the unit and a removable top for quick and easy coil removal. Stainless steel hinges and fasteners are also utilized. Install ready for Vacuum and Hydro Vac Trucks.

Optional Pump Systems

Hydraulic, electric, gasoline and diesel driven pump systems are available to pair with these units.

Redundancy packages, various types of thermostats, flow switches and safety features are also available to meet your specifications.

Cabinet and Stainless-Steel Coil and Base Upgrade

Call for Options.

Industrial duty stationary hot water generators in natural gas and LP fuel. Offered in open or with heavy duty corrosion resistant cabinet. Converts existing electric, gas, hydraulic or diesel-powered cold-water pressure washing equipment into hot water operation. Optional stainless steel coil and base available.



28B06 (Open)
Shown with Optional Cabinet



28B05



28B06
Shown with Optional Cabinet

MODEL #	BTU	VOLTAGE	DIMENSIONS L" X W" X H"	GPM of Water	SCHD 80		SCHD 160	
					PSI	PRICE	PSI	PRICE
28B02	200,000	120 or 12	16 x 16 x 37	2 to 4	5000	\$2,099	10,000	\$2,999
28B03	350,000	120 or 12	18 x 18 x 42	3 to 5	5000	\$2,259	10,000	\$3,529
28B05	400,000	120 or 12	18 x 18 x 42	4 to 6	5000	\$2,579	10,000	\$4,219
28B06	440,000	120 or 12	22.5 x 22.5 x 47	4 to 10	5000	\$2,819	10,000	\$4,469
28B08	600,000	120 to 12	22.5 x 22.5 x 50	5 to 6	5000	\$3,445	10,000	\$5,529
28B09	700,000	120 or 12	22.5 x 22.5 x 50	6 to 10	5000	\$3,599	10,000	\$5,959
28B11	800,000	120 or 12	22.5 x 22.5 x 50	8 to 12	4000	\$3,845	10,000	\$6,219
28B12	800,000	120 or 12	26.5 x 26.5 x 58	8 to 12	4000	\$4,599	8,000	\$7,179
28B14	900,000	120 or 12	26.5 x 26.5 x 58	10 to 12	4000	\$5,099	8000	\$8,099
28B15	1,000,000	120 or 12	26.75 x 27.25 x 51.5	10 to 20	4000	\$5,849	8000	\$8,849
28B17	1,200,000	120	31.25 x 30 x 62	12 to 25	4000	\$7,849	8000	\$11,429
28B18	1,800,000	120	30.25 x 31 x 70	15 to 30	3200	\$11,199	6000	\$17,369
28B20	2,000,000	120	36 x 36 x 70	25 to 35	3000	\$17,599	5000	call for pricing

Call for Cabinet and Stainless-Steel Coil and Base Upgrade Options

Modular Hot Water Heaters - Gas Fired or Electric



Natural Gas or Propane Fired

Heating Coil

- Schedule 80 or optional 160 Pipe (up to 11,500 PSI)
- Elliptically Wound & Stretched • No Seam Welds
- Structurally Braced to Reduce Vibration & Pipe Wear
- Sealed with Ceramic Blanket • Stainless Steel Housing
- Thermostat Controlled • Optional Stainless Steel Coil

Natural Draft Burners

- Natural Gas or Propane Fired • Natural Aspirated Ring Cast Burner • Six Oxygen Port Brass Burner Nozzles for Lower Emissions Controlled 24 Volt Gas Valves • Quick Clean Burner System • Quick Adjust Air Flow Vents (Enclosed Design to Allow for Optimum Air Flow to Maximize Efficiency)

Safety Features

- Flow switch • Rupture Disc • High Limit • Adjustable Thermostat • Gas Pressure Gauge

Frame

- 11 gauge to 1/4" steel • All Welded • Fully Powder Coated

Electrically Heated Heater

- 316 Stainless Steel Heat Exchanger Coil • Designed for Continuous Use • Large 70 Gallon (Single Coil Models) & 120 Gallon (Dual Coil Models) Heater Storage Tanks
- Allows for Continuous Recovery Even When Trigger Gun(s) Not in Use • No Open Flame • Can be Installed in Virtually Any Location • Compact Foot Print • Stand and Explosion Proof Models • No Venting Required • Heater Exchanger Coils Do Not Require Decalcification • Require Less KW Than Input Direct-Immersion Type Electrically Heated Models • Low Heat Exchanger Solution Cut-Off Switch • Adjustable Temperature Controller • Pin-Type Calrod Heating Elements With Incoloy Sleeves

Stationary freestanding super-efficient hot water generators are available in LP or natural gas fired with 24 VT controls. Also available in 100% electrically heated design with 316 Stainless Steel Heat Exchanger Coil with no open flame. Continuous heat recovery while in use or when idle. The compact design allows for installation in most all locations and environments. Minimum electric power required: 208 Vt/3 Phase, 85 Amp.



29N11

Natural Gas & Propane Fired Heaters

MODEL #	GPM	PSI	INPUT	VOLTAGE	PRICE
29N02	2 to 3	2000	195,000 BTU	24 Volt	\$2,299
29N04	3 to 4	3500	295,000 BTU	24 Volt	\$2,619
29N05	4 to 5	5000	390,000 BTU	24 Volt	\$2,679
29N07	5	5000	510,000 BTU	24 Volt	\$3,499
29N08	6	5000	560,000 BTU	24 Volt	\$3,494
29N10	8	3500	720,000 BTU	24 Volt	\$4,556
29N11	10 to 12	3500	940,000 BTU	24 Volt	\$4,956

Electrically Heated

MODEL #	GPM	PSI	INPUT	AMPS				PRICE	
				208V	230V	460V	575V	208/230V	460/575V
29M02	6	4000	24 kw	66.6	58	29	23	\$4,499	\$4,269
29M03	6	4000	48 kw	133	116	58	46	\$5,999	\$4,699
29M05	6	4000	72 kw	NA	140	87	69	NA	\$5,399
29M06	12	4000	48 kw	133	116	58	46	\$7,079	\$5,899
29M08	12	4000	72 kw	NA	NA	87	69	NA	\$6,999
29M09	12	4000	99 kw	NA	NA	119	95	NA	\$7,645
29M10	12	4000	115 kw	NA	NA	168.6	NA	NA	\$7,699



Vertical Car Detailing Series

Pumps (EK & General Pumps)

- Commercial Duty Triplex Plunger Pumps
- Oil Bath Crankcase
- Stainless Valves
- Brass Manifold
- Direct Drive
- Thermo Pump Protector

Electric Motors

- 1750 RPM • TEFC • Full Frame
- 1.15 Service Factor
- Thermo Overload Protection
- Continuous Duty

Electrical Control Panel

- Nema 4 • Water Tight • Easy Access
- Trigger Gun Controlled Auto Stop/Start with Time Delay

Frame

- 2x2 Square Tubing
- Compact
- Ready to Install Against a Wall

These well-designed low RPM electric powered cold water units are fully featured with time saving features and are ready for use. Units attach to the wall or vertical surfaces and remain out of the way.

Includes

- Adjustable Pressure Regulator
- 36" Gun and Wand Assembly with Quick Coupler System
- High Pressure Chemical Injection
- Hose Reel
- 100 Feet of Non-Marking High Pressure Hose

Options & Accessories

- Rotary Nozzle
- Water Broom (Ideal for Washing Floors & Fire Hose)
- Foam Cannon
- Call for Options



33F03

MODEL #	GPM	PSI	HP	VOLTAGE	ELECTRIC DRIVE	PRICE
33F02	4	2000	5	220V - 1PH	1750 RPM	\$2,719
33F03	3.5	2400	5	220V - 1PH	1750 RPM	\$3,029
33F05	3.5	3000	7.5	220V - 1PH	1750 RPM	\$3,469



RV & Car Lot Wash Trailer

These units are ideally suited for multiple cleaning tasks locally, at RV and auto dealership, car lots and all mobile onsite cold water pressure cleaning needs. Fully featured turnkey trailer systems that include hose reel and all accessories.

Pumps

- Heavy Duty Triplex Plunger Pumps
- Oil Bath Crankcase
- Stainless Valves
- Brass Manifold
- Thermo Pump Protector
- Adjustable Pressure Regulator
- Ball Valve Control

Engines

- 6.5 or 14 Kohler Gasoline Engines
- Efficient
- Serviceable

Frame

- Fully Welded Powder Coated Steel
- 16 Inch Wheels
- 100 Gallon Poly Water Tank

Includes

- 36" Gun and Wand Assembly with Quick Coupler System
- In-Line Water Filter
- 0°/15°/25°/40° Nozzles
- 1 Soap Nozzle
- Downstream Chemical Injection System
- Hose Reel
- 50 Feet of High Pressure Hose

Options & Accessories

- Extend-A-Wands
- Drain Cleaning/Jetter Kit
- Rotary Nozzle
- Road Worthy Trailer
- Larger Water Tanks
- Call for Options

*Add an optional Hose Reel to your order



33T06

MODEL #	GPM	PSI	HP	DRIVE	WATER TANK	PRICE
33T04	3	2700	6.5 HP KOHLER	DIRECT	100 GALLON	\$2,899
33T06	4	4000	14 HP KOHLER	DIRECT	100 GALLON	\$3,399